Seat No. _____ Last Name: _____

First Name: _____

There are 7 pages to this exam. Check to make sure you have a complete exam.

PLEASE ALSO PRINT YOUR NAME ON THE TOP OF
THE **BACK** OF THE LAST PAGE OF THE EXAM

CHEMISTRY 331

EXAM II

Spring 2009 (2/20/09)

I.	(18 Points)	_____
II.	(9 Points)	_____
III.	(11 Points)	_____
IV.	(6 Points)	_____
V.	(11 Points)	_____
VI.	(20 Points)	_____
VII.	(14 Points)	_____
VIII.	(11 Points)	_____
TOTAL	(100 Points)	_____

I. (18 points)

A. (12 points) Give the proper name for the following structures (including stereochemical designation when required; for stereoisomers use *E*-, *Z*-notations).

1. 

_____

2. 

_____

3. 

_____

4. 

_____

B. (6 points) Draw clear structural formulas or skeletal structures, including stereochemistry where needed of the following molecules.

1. *trans*-4-allyl-3- isobutylcyclopentene

2. 4-vinylcyclooctene

II. (9 points) Complete each of the following reactions by providing the products. Show the stereochemistry where required.

1.



2.



3.



III. (11 points)

A. (8 points) Draw the two interconverting chair conformations of the following molecule and circle the more stable one.



B. (3 points) Draw the most stable conformation of the following molecule.



IV. (6 points) Calculate the degree of unsaturation for the following formulas.

A. $C_9H_{11}Br_3Cl_2$ _____

B. $C_{10}H_{16}N_2O_2$ _____

V. (11 points)

A. (3 points) In the brackets provided draw the organic intermediate of the following 2-step reaction (one high-energy intermediate is involved in this reaction).



B. (5 points) On the following graph draw the reaction energy diagram for the **second step** of the above reaction. This diagram should be consistent with the Hammond postulate. Label the position of the transition state with "TS" and the intermediate with "I".



C. (3 points) In the **second step**, Br^- is functioning as:

1) a catalyst 2) a base 3) an electrophile 4) a nucleophile

VI. (20 points)

A. (4 points) Give the four general types (or kinds) of organic reactions that McMurry presents. (Note: These do not tell how the reactions occur.)

1.

2.

3.

4.

B. (6 points) Write two good propagation steps for the light-induced chlorination of methane.

C. (3 points) Write the initiation step for the light-induced chlorination of methane.

D. (3 points) Carbocation **A** rearranges rapidly to carbocation **B**. Give the structure of carbocation **B**.



A **B**

E. (4 points) Circle the most stable alkene and put a square around the least stable.



VII. (14 points)

A. Complete the structures below to show ALL constitutional isomers (note: constitutional isomers only, no stereoisomers) of C_7H_{14} that have a carbon-carbon double bond and the carbon skeleton of 2-methylhexane (this is the carbon skeleton given in the boxes; there are no more than six correct constitutional isomers and there may be fewer; DO NOT DRAW OTHER ISOMERS OF C_7H_{14}). **Be sure to show all hydrogens. Cross out any boxes that are not used.** Points will be deducted for duplicate or incorrect structures.



A. Circle all the structures that can exist as cis-trans isomers (points will be deducted for circling structures that cannot exist as cis-trans isomers).

VIII. (11 points)

A. (4 points) For the following set of substituents, using the Cahn-Ingold-Prelog rules, put a circle (O) around the group with the highest priority and put an (X) through the group with the lowest priority.



Periodic Table of the Elements

1A 1																	8A 18
1 H 1.01	2A 2											3A 13	4A 14	5A 15	6A 16	7A 17	2 He 4.00
3 Li 6.94	4 Be 9.01						8B					5 B 10.8	6 C 12.0	7 N 14.0	8 O 16.0	9 F 19.0	10 Ne 20.2
11 Na 23.0	12 Mg 24.3	3B 3	4B 4	5B 5	6B 6	7B 7	8	9	10	1B 11	2B 12	13 Al 27.0	14 Si 28.1	15 P 31.0	16 S 32.1	17 Cl 35.4	18 Ar 39.9
19 K 39.1	20 Ca 40.1	21 Sc 45.0	22 Ti 47.9	23 V 50.9	24 Cr 52.0	25 Mn 54.9	26 Fe 55.8	27 Co 58.9	28 Ni 58.7	29 Cu 63.5	30 Zn 65.4	31 Ga 69.7	32 Ge 72.6	33 As 74.9	34 Se 79.0	35 Br 79.9	36 Kr 83.8
37 Rb 85.5	38 Sr 87.6	39 Y 88.9	40 Zr 91.2	41 Nb 92.9	42 Mo 95.9	43 Tc (98)	44 Ru 101	45 Rh 103	46 Pd 106	47 Ag 108	48 Cd 112	49 In 115	50 Sn 119	51 Sb 122	52 Te 128	53 I 127	54 Xe 131
55 Cs 133	56 Ba 137	57 La 139	72 Hf 178	73 Ta 181	74 W 184	75 Re 186	76 Os 190	77 Ir 192	78 Pt 195	79 Au 197	80 Hg 201	81 Tl 204	82 Pb 207	83 Bi 209	84 Po (209)	85 At (210)	86 Rn (222)
87 Fr (223)	88 Ra 226	89 Ac 227	104 Rf (261)	105 Ha (262)	106 Unh (263)	107 Uns (262)	108 Uno (265)	109 Une (266)									

B. (3 points) The energy barrier for the following reaction is approximately how much?



1) 3 kcal/mol. 2) 10 kcal/mol. 3) 50 kcal/mol. 4) 100 kcal/mol.

C. (4 points) The reaction of Br_2 and cyclohexene is thought to give a high energy bicyclic cation with the composition of $C_6H_{10}Br^+$. In the box provided, give the structure of this cation.